
A.T.P VISC
A.T.P VISC
A.T.P VISC
ATP VISC HMPC
ATP VISC HMPC is an optically clear fluid of high static viscosity, sterile, isotonic, a pyrogenic of non-inflammatory Hydroxypropyl Methylcellulose (HPMC) solution with a high molecular weight.
Ophthalmic Hydroxypropyl Methylcellulose
Supplied in a Sterile 2ml. pre-filled Syringe
with grip and a Sterile Single use Cannula.
ATP VISC HA
ATP VISC HA is a superior viscoelastic solution based on bio-fermented sodium Hyaluronate for intraocular use. As an auxiliary device during ophthalmic surgeries the product maintains the depth of the anterior chamber and protects the surrounding intraocular tissue.
-Good healing of the anterior chamber and the capsular bag
-Controlled Capsulorhexis
-Better adhesiveness on the corneal endothelium during phacoemulsification
-Excellent protection against physical damages
ACTIVE INGREDIENT: Hydroxypropyl Methylcellulose (HPMC)
HPMC concentration 20 mg/ml
Glass syringe, prefilled 2 ml
viscosity 2600-5600 cP, 2 % in H2O(20 °C)(III.)
pH 6.8-7.6
sterility SAL 10- 6 (Sterility Assurance Level)
storage at room temperature
Each Box contains Syringe- 23 G cannula - leaflet
Active Ingredient Sodium Hyaluronate Acid (HA)
Volume [ml] 1 ml
NaHa concentration 16 mg/ml 1.6%
Molecular weight of the hyaluronic acid in final sterile product 2,2 MDa (Mean Value)
Osmolality 280-360 mOsm
pH 6,8 – 7,2
Viscosity 130-170 Pa s (130 000 -170000 CPoise) (Mean Value) After steam sterilization
Pyrogen (free of endotoxins) < 0,2 EU/ml
Sterility Sterilized by steam – package by ETO
Shelf life [months] 2- 25°C during 36 Months, Room temperature (No refrigeration necessary)
Each box contains 1 syringe 27G cannula - leaflet
ATP